

WO 2004/042401

PCT/JP2003/014201

1 / 6

SEQUENCE LISTING

<110> TAKAHASHI Hiroshi and HANADA Shuichi

<120> Method for Examining Cancer Cells and Reagent Therefor

<130> 03PF273-PCT

<160> 17

<210> 1

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide forward primer used in inverse PCR for amplifying  
a region of HTLV-1 gene

<400> 1

aagccggcag tcagtctga

20

<210> 2

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide reverse primer used in inverse PCR for amplifying  
a region of HTLV-1 gene

<400> 2

aagtaccggc aactctgctg

20

<210> 3

<211> 20

2 / 6

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Oligonucleotide forward primer used in inverse PCR for amplifying  
a region of HTLV-1 gene

&lt;400&gt; 3

gaaagggaaa ggggtggaac

20

&lt;210&gt; 4

&lt;211&gt; 20

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Oligonucleotide reverse primer used in inverse PCR for amplifying  
a region of HTLV-1 gene

&lt;400&gt; 4

ccagcgacag cccattctat

20

&lt;210&gt; 5

&lt;211&gt; 24

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Oligonucleotide probe used for detecting a region of HTLV-1 gene

&lt;400&gt; 5

ctccaggaga gaaatttagt acac

24

&lt;210&gt; 6

3 / 6

&lt;211&gt; 20

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Oligonucleotide forward primer used for measuring pX gene in HTL  
V-1 gene

&lt;400&gt; 6

ttcccagggt ttggacagag 20

&lt;210&gt; 7

&lt;211&gt; 20

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Oligonucleotide reverse primer used for measuring pX gene in HTL  
V-1 gene

&lt;400&gt; 7

cgaagatagt cccccagaga 20

&lt;210&gt; 8

&lt;211&gt; 25

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Oligonucleotide TaqMan probe used for measuring pX gene in HTLV-1  
gene

&lt;400&gt; 8

ataccagtc tacgtgttg gagac 25

<210> 9

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide forward primer used for measuring beta-globin gene

<400> 9

acacaactgt gttcactagc

20

<210> 10

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide reverse primer used for measuring beta-globin gene

<400> 10

caacttcac cagttcacc

20

<210> 11

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide probe used for measuring beta-globin gene

<400> 11

5 / 6

aacagacacc atggtgcatc tgact

25

&lt;210&gt; 12

&lt;211&gt; 20

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Oligonucleotide forward primer used for measuring PCD1 gene

&lt;400&gt; 12

gacaaggctg ccctctccta

20

&lt;210&gt; 13

&lt;211&gt; 26

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Oligonucleotide reverse primer used for measuring PCD1 gene

&lt;400&gt; 13

ttaaatcaag accagatgtg gaagac

26

&lt;210&gt; 14

&lt;211&gt; 27

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Oligonucleotide TaqMan probe used for measuring PCD1 gene

&lt;400&gt; 14.

ctttccaag accaggctgc cacttct

27

<210> 15

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide forward primer used for measuring 4F2 gene

<400> 15

tccttcttgc cggctcaac

19

<210> 16

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide reverse primer used for measuring 4F2 gene

<400> 16

gcatccaggc caatctcatc

20

<210> 17

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide TaqMan probe used for measuring 4F2 gene

<400> 17

cgactctacc agctgatgct cttcaccc

28